

Iowa Department of Human Services

Terry E. Branstad Governor Kim Reynolds Lt. Governor Charles M. Palmer Director

March 12, 2015

Mandy Brooks 2631 N Stark St Davenport, IA 52804

Dear Mandy Brooks,

This letter is in regards to the 10/28/14 compliance check of your Level B, Registered Child Development Home. Iowa Code Chapter 237A and 441 Iowa Administrative Code, Chapter 110, describes specific requirements that must be met by a Registered Child Development Home. The following areas were out of compliance at the time of my visit:

	a rene nang areas areas areas approximation areas area
	110.5(1) Conditions in the home are safe, sanitary, and free of hazards. Emergency number for the children, 1 st aid kit, outlet capped, outdoor play area, nergency and disaster plans, sign for cabinet with extinguisher inside, need more smoke tectors, non-smoking window clings for home and car
	110.5(1)a Numbers for each child's parent, physician, and a responsible person are accessible by the phone. Need to finish completing
	\square 110.5(1)c First-Aid supplies are available and easily accessible in the home, outdoor play area, any vehicle used to transport children, and on field trips. 1 st aid kit- in car
	110.5(1)c The first-aid kit is sufficient to address first aid related to minor injury or trauma and stored in an area not accessible to children. Required items for kit- bandaids, gloves, tweezers and something to clean the wound
we	110.5(1)e All accessible electrical outlets are safely capped. Outlets upstairs are not capped-technically upstairs can not be used for care, but kids are observed upstairs today
	110.5(1)h A safe outdoor play area is maintained in good condition throughout the year. Partially covered with snow- Mandy will access for safety after completed thaw
	110.5(1)j Emergency and disaster plans for fire and tornado are written and posted by primary and secondary exits.

Has printed but not posted yet
110.5(1)j The plans shall clearly map building evacuation routes in case of fire, a safe place indoors in case of tornado, and flood shelter areas. Has but not posted yet
110.5(1)m Has not less than one 2A 10BC rated fire extinguisher in a visible and readily accessible place on each child-occupied floor. Has extinguisher but needs sign for cabinet or move
110.5(1)n Has a minimum of one single-station, battery-operated, UL-approved smoke detector in each child-occupied room and at the top of every stairway. Needs a few more – all child occupied rooms and top of all stairways
110.5(1)n Each smoke detector has been installed according to manufacturer's recommendations.
110.5(1)o Nonsmoking signs posted at every entrance of the home and in every vehicle used to transport children. Signs include telephone # for reporting complaints, and www.iowasmokefreeair.gov. Minimal transportation- own kids to school – need signs for car and home
110.5(2) A provider file is maintained and contains: 110.5(2)a A physician's signed statement of health and immunization status on the provider and all members of the household who may be present when children are in the home. Statements must be obtained at the time of initial registration and updated every three years.
Ben- needs physical exam, Emily – needs copy
110.5(8) Children's Files 110.5(8) An individual file is maintained for each child and updated annually or when there are changes. Each file contains: 110.5(8)d For infants and preschoolers: An admission physical examination, on the first day of attendance, including past health history, status of present health, allergies and restrictive conditions, and recommendations for continued care when necessary. The date of the exam is not more than 12 months before the child's first day of attendance. K.P
110.5(8)g A signed and dated immunization certificate provided by the state department of public health. L.K, H.K- not signed and dated
110.9(1) SPECIFIC REQUIREMENTS FOR CHILD DEVELOPMENT HOME CATERGORY "B"

Page 3
110.9(3) Facility requirements 110.9(3)c If the second story or basement are used for childcare, other than the use of a restroom, there is, in addition to one inside stairway, at least one direct exit to the outside. No 2 nd exit from upstairs when I arrived today. Mandy aware of need for 2 nd exit.
Discussed option of deck of playroom or dropping to Category A.
Non-compliance with any of the mandated regulatory requirements listed above may lead to the cancellation or revocation of your Child Development Home Registration. Please take whatever steps are necessary to completely address each of the violations noted above. It is essential you correct all above-mentioned violations by 4/27/15.
\boxtimes Based on the items out of compliance listed above, you will be required to have a recheck of follow up visit to your home. This visit will occur on or after 4/27/15.
Please do not hesitate to contact me at DHS at (563)326-8215 if you have any questions regarding this letter.
Sincerely,
Kathy Huinker Social Worker II
MACHELLE DECLEU

Always Remember:

Social Worker Supervisor

Child Care Resource and Referral is an excellent resource for providers to access training options and support in your area. You can reach Child Care Resource and Referral at 1-866-324-3236.

As you plan your future trainings to meet your 24 hours of training requirement, please remember that you need to use only DHS approved training and only 12 hours can be by self-study. You can access the approved training by going to http://dhs.iowa.gov/sites/default/files/CC Professional Development.pdf and you can sign up for training at http://ccmis.dhs.state.ia.us/trainingregistry/

All providers need to maintain compliance with rules set out in Iowa Administrative Code, Chapter 110, which includes: 441 IAC 110.5(1): Check with the appropriate authorities to determine how the following local, state, or federal laws apply to you: • Zoning code • Building code • Fire code • Business license • State and federal income tax • Unemployment insurance • Worker's Compensation • Minimum wage and hour requirements • OSHA • Americans with Disabilities Act (ADA).